









- [7] Pearson JP, Feldman M, Iglewski BH, and Prince A. *Pseudomonas aeruginosa* cell-to-cell signaling is required for virulence in a model of acute pulmonary infection. *Infect. Immun.* 2000; 68: 4331–4334.
- [8] Mekalanos JJ. Environmental signals controlling virulence determinants in bacteria. *J. Bacteriol.* 1992; 174:1-7.
- [9] Chen MZ, Hsueh PR, Lee LN, Yu CJ, Yang PC and Luh KT. Severe community-acquired pneumonia due to *Acinetobacter baumannii*. *Chest.* 2003; 120: 1072-1077
- [10] Green BT, Lyte M, Chen C. Adrenergic modulation of *Escherichia coli* O157:H7 adherence to the colonic mucosa. *Am J Physiol Gastrointest Liver Physiol* 2004; 287: G1238–46.
- [11] Hacker J and Kaper JB. Pathogenicity islands and the evolution of microbes. *Annu Rev Microbiol.* 2000; 54: 641-79.
- [12] Perna NT, Plunkett G. III, Burland V, Mau B, Glasner JD, Rose DJ, Mayhew GF, Evans PS, Gregor J, Kirkpatrick HA, Pósfai G, Hackett J, Klink S, Boutin A, Shao Y, Miller L, Grotbeck EJ, Davis NW, Lim A, Dimalanta ET, Potamousis KD, Apodaca J, Anantharaman TS, Lin J., Yen G, Schwartz DC, Welch RA and Blattner FR. Genome sequence of enterohaemorrhagic *Escherichia coli* O157:H7. *Nature*; 2001 409: 463, 465-6.
- [13] Wilson JW, Schurr MJ, Leblanc CL, Ramamurthy R, Buchanan KL and Nickerson CA. Mechanisms of bacterial pathogenicity. *Postgrad Med J.* 2002; 78: 216–224
- [14] Swift S, Downie JA, Whitehead NA, Barnard AML, Salmond GPC and Williams P. Quorum sensing as a population-density-dependent determinant of bacterial physiology. *Adv. Microb. Physiol.* 2001; 45: 199–270.
- [15] Whitehead NA, Barnard AML, Slater H, Simpson NJL and Salmond GPC. Quorum-sensing in gram-negative bacteria. *FEMS Microbiol. Rev.* 2001; 25:365-404.
- [16] Swift S, Throup J, Williams P, Salmond GPC and Stewart GSAB. Quorum sensing: A population-density component in the determination of bacterial phenotype. *Trends Biochem. Sci.* 1996; 21:214-219.
- [17] Fuqua C, Winans SC and Greenberg EP. Census and consensus in bacterial ecosystems: The LuxR-LuxI family of quorum-sensing transcriptional regulators. *Annu. Rev. Microbiol.* 1996; 50: 727–751
- [18] Mavrodi DV, Ksenzenko VN, Bonsall RF, Cook RJ, Boronin AM and Thomashow LS. A seven-gene locus for synthesis of phenazine-1-carboxylic acid by *Pseudomonas fluorescens*. *J. Bacteriol.* 1998; 180: 2541-2548.
- [19] Eberhard A. Inhibition and activation of bacterial luciferase synthesis. *J. Bacteriol.* 1972; 109:1101-1105.
- [20] Meighen EA. Genetics of bacterial bioluminescence. *Annu. Rev. Genet.* 1994; 28:117-139.
- [21] Ruby EG. Lessons from a cooperative bacterial-animal association: the *Vibrio fischeri-Euprymna scolopes* lightorgan symbiosis. *Annu. Rev. Microbiol.* 1996; 50:591-624.
- [22] El-Baghdady K.Z. Relationship between cell density, homoserine lactone production and the regulation of phenazine antibiotic production in *Pseudomonas aureofaciens* PGS12. Ph. D. Thesis, Department of Biological Sciences, The University of Warwick, Coventry, UK. 2004
- [23] Engebrecht J, Nealson K and Silverman M. Bacterial bioluminescence: isolation and genetic analysis of functions from *Vibrio fischeri*. *Cell* 1983; 32:773-781.
- [24] Swartzman E, Kapoor S, Graham AF and Meighen EA. A new *Vibrio fischeri lux* gene precedes a bidirectional termination site for the *lux* operon. *J. Bacteriol.* 1990; 172: 6797-6802
- [25] Engebrecht J and Silverman M. Identification of genes and gene products necessary for bacterial bioluminescence. *Proc. Natl. Acad. Sci. USA* 1984; 81:4154-4158.
- [26] Boylan M, Graham AF and Meighen EA. Functional identification of the fatty acid reductase components encoded in the luminescence operon of *Vibrio fischeri*. *J. Bacteriol.* 1985; 163: 1186-1190.
- [27] Boylan M, Miyamoto C, Wall L, Graham A and Meighen E. *luxC*, *D* and *E* genes of the *Vibrio fischeri* luminescence operon code for the reductase, transferase, and synthetase enzymes involved in aldehyde biosynthesis. *Photochem. Photobiol.* 1989; 49: 681-688.
- [28] Hastings JW and Nealson KH. Bacterial bioluminescence. *Annu. Rev. Microbiol.* 1977; 31:549-595.
- [29] Swartzman E, Kapoor S, Graham AF and Meighen EA. A new *Vibrio fischeri lux* gene precedes a bidirectional termination site for the *lux* operon. *J. Bacteriol.* 1990; 172: 6797-6802.
- [30] Hastings JW, Riley WH and Massa J. Purification, properties and chemiluminescence quantum yield of bacterial luciferase. *J. Biol. Chem.* 1965; 240:1410-1415.
- [31] Karl DM and Nealson KH. Regulation of cellular metabolism during synthesis and expression of the luminous system in *Beneckea* and *Photobacterium*. *J. Gen. Microbiol.* 1980; 117: 357-368.
- [32] Eberhard A, Burlingame AL, Eberhard C, Kenyon GL, Nealson KH, Oppenheimer NJ. Structural identification of autoinducer of *Photobacterium fischeri* luciferase. *Biochem.* 1981; 20: 2444-2449.